





Automatic Water Supply Units ASSEMBLY DRAWING

TYPE : NX - VFC [Negative Suction][Constant Presumed Terminal Pressure Water Supply][W:Automatic Alternate Parallel Operation]



Details of operation panel

No.	Parts Name	Q'TY
1	Pump	2
2	Pressure tank (100)	1
3	Pressure transmitter	1
4	Flow switch	2
5	TJ valve	1
6	Protector	2
7	Discharge elbow (with check valve)	2
8	Control panel	1
9	Special flange (Suction)	2
10	Special flange (Discharge)	1



MODEL	OUTPUT kW	A	J	MAX SPEED (400V) min ⁻¹	MAX SPEED (380V) min ⁻¹	MASS kg
NX-50VFC322-0.75W	0.75	114	43	3660	3600	112
NX-50VFC323-1.1W	1.1	82	11	3720	3720	121
NX-50VFC323-1.5W	1.5	82	11	3720	3720	122
NX-50VFC324-2.2W	2.2	51	-21	3540	3540	135

Negative Suction

Special flanges accompanied with product shall be applied to pipe connection.

A tube of $\phi 10\text{mm}$ ($3/8''$) can be connected to the TJ valve.

付 属 品 ACCESSORIES	

MASS

kg

UNIT SPECIFICATION				MOTOR SPECIFICATION	
CAPACITY	m ³ /min	SIZE	Suc. 32mm/Dis. 50mm	POLE	2 P
TOTAL HEAD	m	FREQUENCY	Hz	TYPE	T. E. F. C
MAX SPEED	min ⁻¹	PHASE&VOLTAGE	3 φ V	OUTPUT	kW×2

I T E M N A M E	I T E M N o .
M O D E L	Q U A N T I T Y